



| | | Dicke in mm „s“ Thickness in mm „s“ | | | | | | | | | | | |
|----------------------------|--------|--|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| | | 5 | 6 | 8 | 10 | 12 | 15 | 20 | 25 | 30 | 40 | 50 | 60 |
| Breite mm „b“ width mm „b“ | | zulässige Abweichung permissible tolerance | | | | | | | | | | | |
| zul. Abweichung | | ± 0,5 | | | | | | ± 1,0 | | | ± 1,5 | | |
| | | Gewichte in kg/m Weights in kg/m | | | | | | | | | | | |
| 10 | ± 0,75 | 0,393 | - | - | - | - | - | - | - | - | - | - | - |
| 12 | | 0,471 | 0,565 | - | - | - | - | - | - | - | - | - | - |
| 15 | | 0,589 | 0,707 | 0,942 | 1,180 | - | - | - | - | - | - | - | - |
| 16 | | 0,628 | 0,754 | 1,000 | 1,260 | - | - | - | - | - | - | - | - |
| 20 | | 0,785 | 0,942 | 1,260 | 1,570 | 1,880 | 2,360 | - | - | - | - | - | - |
| 25 | | 0,981 | 1,180 | 1,570 | 1,960 | 2,360 | 2,940 | - | - | - | - | - | - |
| 30 | | 1,180 | 1,410 | 1,880 | 2,360 | 2,830 | 3,530 | 4,710 | 5,890 | - | - | - | - |
| 35 | | 1,370 | 1,650 | 2,200 | 2,750 | 3,300 | 4,120 | 5,500 | 6,870 | - | - | - | - |
| 40 | ± 1,0 | 1,570 | 1,880 | 2,510 | 3,140 | 3,770 | 4,710 | 6,280 | 7,850 | 9,420 | - | - | - |
| 45 | | 1,770 | 2,120 | 2,830 | 3,530 | 4,240 | 5,300 | 7,070 | 8,830 | 10,600 | - | - | - |
| 50 | | 1,960 | 2,360 | 3,140 | 3,930 | 4,710 | 5,890 | 7,850 | 9,810 | 11,800 | 15,70 | - | - |
| 55 | | 2,160 | 2,590 | 3,450 | 4,320 | 5,180 | 6,480 | 8,640 | 10,800 | 13,000 | - | - | - |
| 60 | | 2,360 | 2,830 | 3,770 | 4,710 | 5,650 | 7,070 | 9,420 | 11,800 | 14,100 | 18,80 | 23,60 | - |
| 65 | | 2,550 | 3,060 | 4,080 | 5,100 | 6,120 | 7,650 | 10,200 | 12,800 | 15,300 | 20,40 | - | - |
| 70 | | 2,750 | 3,300 | 4,400 | 5,500 | 6,590 | 8,240 | 11,000 | 13,700 | 16,500 | 22,00 | 27,50 | - |
| 75 | | 2,940 | 3,530 | 4,710 | 5,890 | 7,070 | 8,830 | 11,800 | 14,700 | 17,700 | 23,60 | - | 35,30 |
| 80 | ± 1,5 | 3,140 | 3,770 | 5,020 | 6,280 | 7,540 | 9,420 | 12,600 | 15,700 | 18,800 | 25,10 | 31,40 | 37,70 |
| 90 | | 3,530 | 4,240 | 5,650 | 7,070 | 8,480 | 10,600 | 14,100 | 17,700 | 21,200 | 28,30 | 35,30 | 42,40 |
| 100 | | 3,930 | 4,710 | 6,280 | 7,850 | 9,420 | 11,800 | 15,700 | 19,600 | 23,600 | 31,40 | 39,30 | 47,10 |
| 110 | ± 2,0 | - | - | 6,910 | 8,640 | 10,400 | 13,000 | 17,300 | 21,600 | 25,900 | 34,50 | 43,20 | - |
| 120 | | - | - | 7,540 | 9,420 | 11,300 | 14,100 | 18,800 | 23,600 | 28,300 | 37,70 | 47,10 | 56,50 |
| 130 | ± 2,5 | - | - | 8,160 | 10,200 | 12,200 | 15,300 | 20,400 | 25,500 | 30,600 | 40,80 | 51,00 | - |
| 140 | | - | - | 8,790 | 11,000 | 13,200 | 16,500 | 22,000 | 27,500 | 33,000 | 44,00 | 55,00 | - |
| 150 | | - | - | 9,420 | 11,800 | 14,100 | 17,700 | 23,600 | 29,400 | 35,300 | 47,10 | 58,90 | 70,70 |